



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/601,410	06/23/2003	Joseph P. Desmond	BSCU-039/00US 027060-2227	7691
22903	7590	12/03/2010	EXAMINER	
COOLEY LLP ATTN: PATENT GROUP Suite 1100 777 - 6th Street, NW WASHINGTON, DC 20001			SZPIRA, JULIE ANN	
			ART UNIT	PAPER NUMBER
			3731	
			MAIL DATE	DELIVERY MODE
			12/03/2010	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/601,410	<b>Applicant(s)</b> DESMOND, JOSEPH P.	
	<b>Examiner</b> JULIE A. SZPIRA	<b>Art Unit</b> 3731	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 17 December 2009.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-10, 17-23, 27-29, 32-34 and 37-48 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10, 17-23, 27-29, 32-34 and 37-48 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |                                                                                                            |                                                                                         |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948)                        | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____                                                |

## DETAILED ACTION

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/17/2009 has been entered.

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

4. **Claims 1-10, 17, 27, 34 and 46-48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Peterson (US 2001/0029353) in view of Page et al. (US 6,869,395).**

**Regarding claims 1-5, 7-10, 27, 34 and 46-48,** Peterson discloses a first hollow member (112) with an inner diameter greater than that of the outer diameter of a second hollow member (115), which are cylinders (Figure 1a) comprising a semi-rigid plastic material (paragraph 33) and capable of accepting a medical instrument there through, with the second hollow member being movable coupled to the first hollow member (paragraph 27) and a wedge (132) having a first configuration (unlocked) and a second configuration (locked), the wedge being disposed apart from the second hollow member when the wedge is in the first configuration, the second hollow member being configured to move with respect to the first hollow member along a longitudinal axis defined by the first hollow member when the wedge is in the first configuration, the wedge being in contact with the second hollow member when the wedge is in the second configuration, the second hollow member being unable to move with respect to the first hollow member along the longitudinal axis defined by the first hollow member when the wedge is in the second configuration (paragraph 27). The second hollow member has a beveled (chamfered) edge that is capable of facilitating insertion into the body (Figure 1a). The first and second hollow members are in substantially fluid tight communication with one another with the combined length being longer than that of the first member alone (Figure 1a), but fails to disclose the wedge member having a first position where the wedge is spaced from the second member and a second position where in the wedge is in contact with both the first and second members, inhibiting movement and wherein the wedge is disposed entirely within the lumen of the first hollow member.

However, Page et al. discloses an annular (882) wedge that has a first position and a second position and is disposed within the lumen of the first member (884) in both positions (the wedge is independently loadable, thus making it capable of a plurality of positions), and when the wedge is in the second position, it is in contact with both the first and second members, inhibiting relative movement between the members (column 12, lines 34-41), the combined length of the first and second members is longer than the length of the first member when the wedge is in the second position (Figure 21a), the second hollow member has a first position and a second position and can move between said positions when the wedge is in its first configuration (the wedge is not placed in a location that will cause a locking engagement between the members, and thus allows free movement of the second member), and the distal end of the second hollow member is disposed apart from the first hollow member, with the distal end extending distally away from the first hollow member when the wedge is in the second position (Figure 21a).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to disposed a wedge capable of allowing free movement of the members relative to one another when the wedge is in one position, and locking the members relative to one another when the wedge is in a second position to allow for the device to have a self locking feature to prevent detachment of the first and second hollow members from one another (column 12, lines 38-41; Figure 21a)

**Regarding claim 6,** Peterson discloses the invention substantially as claimed above, but does not disclose the medical instrument being a catheter. However, it has

Art Unit: 3731

been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. *Ex Parte Masham*, 2 USPQ F.2d 1647 (1987).

**Regarding claim 7**, Peterson discloses the invention substantially as claimed above and the second hollow member having a beveled edge, but fails to disclose the first hollow member having a beveled edge to facilitate insertion into the body.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to make the first hollow member have a beveled edge like the second hollow member has, since it has been held that rearranging parts of an invention involves only routine skill in the art. *In re Japikse*, 86 USPQ 70.

**Regarding claim 17**, Peterson discloses the first hollow member has an interior surface that overlaps and is in frictional communication with a portion of an exterior surface of the proximal end of the second hollow member (paragraph 27).

5. **Claim 18** is rejected under 35 U.S.C. 103(a) as being unpatentable over **Peterson (US 2001/0029353)** in view of **Page et al. (US 6,869,395)** further in view of **Ash et al. (US 4,498,902)**.

**Regarding claim 18**, Peterson in view of Page et al. discloses the invention substantially as claimed above, but fails to disclose a longitudinal slot in the second hollow member.

However, Ash et al. teaches a hollow member with a longitudinal slot (12) along its length to allow the member to radially deform (column 2, lines 62-68).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include a longitudinal slot to allow the member to have a change in diameter when the member needs to fit within a smaller diameter space than it is generally designed to fit within. Also, by allowing the device to achieve a smaller diameter, the outward radial force the second hollow member will exert on the first hollow member will create a stronger coefficient of friction and help to more securely connect the two hollow members (column 3, lines 11-15).

6. **Claims 20 and 21** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Peterson (US 2001/0029353** in view of **Page et al. (US 6,869,395)** further in view of **Arramon et al. (US 6,875,219)**.

**Regarding claims 20 and 21**, Peterson in view of Page et al. discloses the invention substantially as claimed above, but fails to disclose a radio opaque marking.

However, Arramon et al. teaches a radiopaque marker (104; column 9, lines 26-31).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include a radiopaque marker to allow for the device to be visualized with an imaging device during a surgical procedure (column 9, lines 33-39).

7. **Claims 19, 22, 23 and 28** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Peterson (US 2001/0029353)** in view of **Page et al. (US 6,869,395)** further in view of **Stouder (WO 98/36785)**.

**Regarding claim 19 and 28**, Peterson in view of Page et al. discloses the invention substantially as claimed above, but fails to disclose an elastomeric ring.

Stouder discloses an elastomeric member (o-ring, 40) disposed between the distal end of the first member and the proximal end of the second end (page 9, lines 31-35).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include an elastomeric ring to prevent passage of gases or liquids between the two members (page 9, lines 31-35).

**Regarding claims 22 and 23**, Peterson discloses the invention substantially as claimed above, but fails to disclose a fastener and retaining slot.

Stouder discloses the device having a fastener (16) at the proximal end of the first hollow member with a retaining slot (20) to provide an interference fit for securing the guidewire device (page 8, lines 29-34).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include a fastener and retaining slot to accommodate instruments (guidewires) to be used with the device (page 8, lines 29-34).

8. **Claims 29, 32, 33, 37-41, 44 and 45** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Peterson (US 2001/0029353)** in view of **Best Jr. et al (US 5,695,475)** further in view of **Stouder (WO 98/36785)**.


**Regarding claims 29, 32 and 37-40**, Peterson discloses a first hollow member (116), a second hollow member (112) in slidable adjustable communication with the first member to adjust the overall length and sized to accept a medical instrument (Figure 1a). Peterson teaches a notch and detent system (paragraph 37), but fails to disclose a



Art Unit: 3731

post and groove system and the second hollow member having a distal end extending distally beyond the distal end of the first hollow member.

However, Best Jr. et al. teaches two hollow members with a post and groove locking adjustment mechanism. The first member has a longitudinal groove with a plurality of notches with an axis non-parallel to the longitudinal axis and the second member having a post configured to be disposed within the groove and slide along the groove into the notches as the device is adjusted (See Figure Below; column 3, lines 41-53). The device is in a locked configuration when the post is disposed within the notches.



It would have been obvious to one having ordinary skill in the art at the time the invention was made to use a post and groove adjustment mechanism instead of a notch and detent mechanism to allow for the length of the device to be adjusted more easily by twisting and then axially sliding the members with respect to each other, as well as allowing the device to have multiple locking locations (column 2, lines 51-58).

Stouder et al. teaches a first hollow member (12) and a second hollow member (30) that provides an unobstructed passageway, wherein the distal end of the second hollow member extends distally beyond the distal end of the first hollow member.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to allow for the second hollow member to extend distally beyond the first hollow member to accommodate a plurality of body cavity wall thicknesses (page 8, lines 13-16) and provide a stable platform for the device to prevent tissue damage (page 9, lines 8-13).

**Regarding claim 33**, Peterson in view of Best Jr. et al. and Stouder et al. discloses the invention substantially as claimed above but fails to disclose the first hollow member having a flange on the proximal end.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to make the first hollow member have a flange similar to that disclosed by element 112a, since it has been held that rearranging parts of an invention involves only routine skill in the art. In re Japikse, 86 USPQ 70. Also, it would allow the device to be gripped easier at a position closer to the body which would allow for the device to be better manipulated during the procedure.

**Regarding claim 41**, Peterson in view of Best Jr. et al. and Stouder et al. discloses the invention substantially as claimed above but fails to disclose the second hollow member having an end face defining a plane non-orthogonal to a longitudinal axis.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to make the second hollow member have a end face non-orthogonal to the longitudinal axis, similar to the end face of element 115, since it has been held that rearranging parts of an invention involves only routine skill in the art. In re Japikse, 86 USPQ 70. Also, it would allow the end face to more easily enter another hollow member or a body cavity.

**Regarding claims 44 and 45**, Peterson in view of Best Jr. et al. and Stouder et al. discloses the invention substantially as claimed above, but fails to disclose a fastener and retaining slot.

Stouder discloses the device having a fastener (16) at the proximal end of the first hollow member with a retaining slot (20) to provide an interference fit for securing the guidewire device (page 8, lines 29-34).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include a fastener and retaining slot to accommodate instruments (guidewires) to be used with the device (page 8, lines 29-34).

9. **Claims 42 and 43** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Peterson (US 2001/0029353)** in view of **Best Jr. et al (US 5,695,475)** and **Stouder (WO 98/36785)** further in view of **Arramon et al. (US 6,875,219)**.

**Regarding claims 42 and 43**, Peterson in view of Best Jr. et al. and Stouder et al. discloses the invention substantially as claimed above, but fails to disclose a radio opaque marking.

Art Unit: 3731

However, Arramon et al. teaches a radiopaque marker (104; column 9, lines 26-31).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to include a radiopaque marker to allow for the device to be visualized with an imaging device during a surgical procedure (column 9, lines 33-39).

### ***Response to Arguments***

Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JULIE A. SZPIRA whose telephone number is (571) 270-3866. The examiner can normally be reached on Monday-Thursday 9 AM to 6 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan Nguyen can be reached on (571) 272-4963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. A. S./  
Examiner, Art Unit 3731  
December 1, 2010

/Kathleen Sonnett/  
Examiner, Art Unit 3731